

jc571 U.S. PRO  
08/12/99

Attorney's Docket No. 99-0270  
Client's Docket No. TOR5755

A

**PATENT Utility APPLICATION COVER SHEET**

BOX PATENT APPLICATION  
HONORABLE ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D. C. 20231

jc584 U.S. PRO  
09/373205  
08/12/99

Sir:

Transmitted herewith for filing is the utility patent application of:

INVENTOR: LOUIS J ROBERT

FOR: VEHICLE MOUNTABLE GUN AND EQUIPMENT CASE

**Enclosed are:**


- ☒ Postcard for receipt stamp and return.
- ☒ Applicant's Check for **\$380.00**, covering fees calculated below.
- ☒ Specification with Claims, Abstract, & Declaration & Power of Attorney
- ☒ A verified statement to establish small entity status under 37C.F.R § 1.9 and 37 C.F.R. § 1.27.
- ☒ 3 sheets of drawing.
- ☐ Cover Sheet & Assignment to: \_\_\_\_\_
- ☐ Information Disclosure Statement.

**The filing fee has been calculated as shown below:**

	(Col. 1) No. Filed	(Col. 2) No. Extra		SMALL ENTITY RATE	FEE
FOR:					
BASIC FEE				\$380	<b>\$380</b>
TOTAL CLAIMS	9	-20=	0 x09		0
INDEPENDENT CLAIMS	2	- 3=	0 x39		0
MULTIPLE DEPENDENT CLAIMS PRESENTED				+125	
<b>TOTAL</b>					<b>\$380</b>

DEPOSIT ACCOUNT AUTHORIZATION

The Commissioner is hereby authorized to charge any fees, which are not otherwise submitted and which may be required under 37 CFR 1.17 during the entire pendency of this application, to the Deposit Account # **11-0020**.

  
IVAR M. KAARDAL, Reg. No. 29,812  
KAARDAL & ASSOCIATES, PC  
3500 South First Ave. Circle-Suite 250  
SIOUX FALLS, SD 57105-5807  
(605) 336-9446 FAX (605) 336-1931  
e-mail: patent@kaardal.com

August 12, 1999  
Date

Attorney's Docket No. K&A 99-0270  
Client's Docket No. TOR5755

Applicant or Patentee: **LOUIS J. ROBERT**

Serial or Patent Number:

Filed or Issued:

For: **VEHICLE MOUNTABLE GUN AND EQUIPMENT  
CASE**

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.9(f) and 1.27(b) - INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled as above and described in:

☒ the specification filed herewith.

☐ application serial number \_\_\_\_\_, filed \_\_\_\_\_.

☐ patent no. \_\_\_\_\_, issued \_\_\_\_\_.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization

☐ persons, concerns or organizations listed below\*

\*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME: NOT APPLICABLE

☐ INDIVIDUAL

ADDRESS: NOT APPLICABLE

☐ SMALL BUSINESS CONCERN

☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF INVENTOR: **LOUIS J. ROBERT**

*Louis Robert*  
Inventor's Signature

Date: *July 30 1999*

Attorney's Docket No. K&A 99-0270  
Client's Docket No. TOR5755

**APPLICATION**

**FOR UNITED STATES LETTERS PATENT**

----

**SPECIFICATION**

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, **LOUIS J. ROBERT**, a citizen of  
CANADA, have invented a new and useful **VEHICLE**  
**MOUNTABLE GUN AND EQUIPMENT CASE** of which the  
following is a specification:

## VEHICLE MOUNTABLE GUN AND EQUIPMENT CASE

5

### BACKGROUND OF THE INVENTION

#### Field of the Invention

10

The present invention relates to gun cases and more particularly pertains to a new vehicle mountable gun and equipment case for the safe transportation of guns and equipment.

#### 15 Description of the Prior Art

20

The use of gun cases is known in the prior art. More specifically, gun cases heretofore devised and utilized are known to consist basically of familiar, expected and obvious structural configurations, notwithstanding the myriad of designs encompassed by the crowded prior art which have been developed for the fulfillment of countless objectives and requirements.

25

Known prior art includes U.S. Patent No. 4,844,309; U.S. Patent No. 3,811,562; U.S. Patent No. Des. 346,143; U.S. Patent No. 5,573,162; U.S. Patent No. 4,257,464; and U.S. Patent No. 3,138,306.

30

While these devices fulfill their respective, particular objectives and requirements, the aforementioned patents do not

disclose a new vehicle mountable gun and equipment case. The inventive device includes an upper cover having a top portion and an upper perimeter wall. The upper perimeter wall extends away from a perimeter of the top portion. Next provided is a lower cover  
5 having a bottom portion and a lower perimeter wall. The lower perimeter wall extends outwardly from a perimeter of the bottom portion such that the lower perimeter wall and the bottom portion define a space within the lower cover. The lower cover is hingedly attached to the upper cover. A plurality of clasp means are for  
10 releasably securing the upper cover to the lower cover. Also included is an equipment retaining pad having at least one of a shaped cut out. The pad is insertable into the space of said lower cover. The shaped cut out is for conformably receiving a piece of equipment. A plurality of vehicle attachment means are adapted for  
15 attaching the lower cover to a vehicle..

In these respects, the vehicle mountable gun and equipment case according to the present invention substantially departs from the conventional concepts and designs of the prior art, and in so  
20 doing provides an apparatus primarily developed for the purpose of the safe transportation of guns and equipment.

#### **SUMMARY OF THE INVENTION**

25 In view of the foregoing disadvantages inherent in the known types of gun cases now present in the prior art, the present invention provides a new vehicle mountable gun and equipment case construction wherein the same can be utilized for the safe transportation of guns and equipment.

30 The general purpose of the present invention, which will be described subsequently in greater detail, is to provide a new vehicle

mountable gun and equipment case apparatus and method which has many of the advantages of the gun cases mentioned heretofore and many novel features that result in a new vehicle mountable gun and equipment case which is not anticipated, rendered obvious,

5 suggested, or even implied by any of the prior art gun cases, either alone or in any combination thereof.

To attain this, the present invention generally comprises an upper cover having a top portion and an upper perimeter wall.

10 The upper perimeter wall extends away from a perimeter of the top portion. Next provided is a lower cover having a bottom portion and a lower perimeter wall. The lower perimeter wall extends outwardly from a perimeter of the bottom portion such that the lower perimeter wall and the bottom portion define a space within  
15 the lower cover. The lower cover is hingedly attached to the upper cover. A plurality of clasp means are provided for releasably securing the upper cover to the lower cover. Also included is an equipment retaining pad having at least one of a shaped cut out. The pad is insertable into the space of said lower cover. The shaped  
20 cut out is for conformably receiving a piece of equipment. A plurality of vehicle attachment means are adapted for attaching the lower cover to a vehicle.

There has thus been outlined, rather broadly, the more  
25 important features of the invention in order that the detailed description thereof that follows may be better understood, and in order that the present contribution to the art may be better appreciated. There are additional features of the invention that will be described hereinafter and which will form the subject matter  
30 of the claims appended hereto.

In this respect, before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not limited in its application to the details of construction and to the arrangements of the components set forth in the following  
5 description or illustrated in the drawings. The invention is capable of other embodiments and of being practiced and carried out in various ways. Also, it is to be understood that the phraseology and terminology employed herein are for the purpose of description and should not be regarded as limiting.

10 As such, those skilled in the art will appreciate that the conception, upon which this disclosure is based, may readily be utilized as a basis for the designing of other structures, methods and systems for carrying out the several purposes of the present  
15 invention. It is important, therefore, that the claims be regarded as including such equivalent constructions insofar as they do not depart from the spirit and scope of the present invention.

20 Further, the purpose of the foregoing abstract is to enable the U.S. Patent and Trademark Office and the public generally, and especially the scientists, engineers and practitioners in the art who are not familiar with patent or legal terms or phraseology, to determine quickly from a cursory inspection the nature and essence of the technical disclosure of the application. The abstract is  
25 neither intended to define the invention of the application, which is measured by the claims, nor is it intended to be limiting as to the scope of the invention in any way.

30 It is therefore an object of the present invention to provide a new vehicle mountable gun and equipment case apparatus and method which has many of the advantages of the gun cases



mentioned heretofore and many novel features that result in a new vehicle mountable gun and equipment case which is not anticipated, rendered obvious, suggested, or even implied by any of the prior art gun cases, either alone or in any combination thereof.

5

It is another object of the present invention to provide a new vehicle mountable gun and equipment case which may be easily and efficiently manufactured and marketed.

10

It is a further object of the present invention to provide a new vehicle mountable gun and equipment case which is of a durable and reliable construction.

15

An even further object of the present invention is to provide a new vehicle mountable gun and equipment case which is susceptible of a low cost of manufacture with regard to both materials and labor, and which accordingly is then susceptible of low prices of sale to the consuming public, thereby making such vehicle mountable gun and equipment case economically available to the buying public.

20

Still yet another object of the present invention is to provide a new vehicle mountable gun and equipment case which provides in the apparatuses and methods of the prior art some of the advantages thereof, while simultaneously overcoming some of the disadvantages normally associated therewith.

25

Still another object of the present invention is to provide a new vehicle mountable gun and equipment case for the safe transportation of guns and equipment.

30

Still yet another object of the present invention is to provide a new vehicle mountable gun and equipment case that will provide quick and efficient access guns and equipment case while in the field.

Even still another object of the present invention is to provide a new vehicle mountable gun and equipment case that will protect guns and equipment within the case while being transported on an all terrain vehicle over rough terrain.

These together with other objects of the invention, along with the various features of novelty which characterize the invention, are pointed out with particularity in the claims annexed to and forming a part of this disclosure. For a better understanding of the invention, its operating advantages and the specific objects attained by its uses, reference should be made to the accompanying drawings and descriptive matter in which there are illustrated preferred embodiments of the invention.

## **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention will be better understood and objects other than those set forth above will become apparent when consideration is given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

Figure 1 is an perspective view of a new vehicle mountable gun and equipment case according to the present invention.

Figure 2 is a top plan view of the present invention.

Figure 3 is a open top plan view of the present invention.

Figure 4 is a cross-sectional view along line 4-4 of Figure 2 of the present invention.

Figure 5 is an enlarged view of the area designated 5 in Figure 4 of the present invention.

Figure 6 is a bottom plan view of the present invention.

Figure 7 is an enlarged cross-sectional view of vehicle attachment means and lower cover of the present invention.

### DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference now to the drawings, and in particular to Figures 1 through 6 thereof, a new vehicle mountable gun and equipment case embodying the principles and concepts of the present invention and generally designated by the reference numeral 10 will be described.

As best illustrated in Figures 1 through 7, the vehicle mountable gun and equipment case 10 generally comprises an upper cover 12 having a top portion 14, an upper perimeter wall 16 and an upper lip 18. The upper perimeter wall extends away from a perimeter of the top portion such that the upper perimeter wall and the top portion define a space within the upper cover. The lip extends around a bottom edge 20 of the upper perimeter wall. The lip has a front portion 22 and a rear portion 24. The front portion has a plurality of a top portions of a clasp means 26 disposed thereon. A pad 28 is constructed of an elastomeric material. The pad is disposed in the space of the upper cover portion.

As shown in Figures 4, 5 and 6, a lower cover 30 has a bottom portion 32, a lower perimeter wall 34 and a lower lip 36. The bottom portion has a plurality of bores 38 therethrough. The lower perimeter wall extends outwardly from a perimeter of the bottom portion such that the lower perimeter wall and the bottom portion define a space within the lower cover. The lower lip extends around an upper edge 40 of the lower perimeter wall. The lower lip has a front portion 42 and a rear portion 44. The rear portion of the lower lip is hingedly coupled to the rear portion of the upper lip. The front portion of the lower lip has a plurality of bottom portions of a clasp means 46 such that the lower the bottom portions of the clasp means are releasably couplable to the upper portions of the clasp means. The lower lip has a channel 48 therein. The channel is adapted for receiving an elastomeric seal 50 such that when the upper lip is clasped to the lower lip the elastomeric seal prevents the introduction of fluids or debris into the space of the upper cover and the space of the lower cover.

As show in Figure 3 an equipment retaining pad 52 has a plurality of shaped cut outs 54 and a plurality of fastener bores 56. The pad is insertable into the space of sad lower cover. The fastener bores are positionable in alignment with the bores of the bottom portion. The shaped cut outs are adapted for conformably receiving a piece of equipment. Each of the shaped cutouts has a plurality of semicircular cutouts 58 extending outwardly from a periphery of the shaped cutouts. The semicircular cutouts facilitate the removal of the equipment from the shaped cut outs.

Figure 7 shows a plurality of vehicle attachment means 60 adapted for attaching the lower cover to the equipment carrying

area of the all terrain vehicle. Each of vehicle attachment means has a bolt portion 62, a nut portion 64, a frusto conical portion 66 and clamp portion 68. The bolt portion is coupled to the frusto conical portion. The bolt portion extends through the bores of the bottom portion. The nut portion is insertable through the fastener bores of the equipment retaining pad for securing the bolt portion to the bottom portion. The frusto conical portion is adapted for supporting the bottom portion. The clamp portion is coupled to the frusto conical portion opposite the bolt portion. The clamp portion is adapted for engaging the equipment carrying area of the all terrain vehicle.

In use, a user secures the gun and equipment case to a vehicle, such as an all terrain vehicle 1, with the vehicle attachment means. A user is then able to place guns 2 and equipment 3 into the shaped cutouts shaped to conform to that particular gun or piece of equipment. The upper cover would then be closed over the lower cover and the clasp means would then be closed to secure the equipment inside. The user could then transport the equipment to a location as is desired and retrieve the undamaged equipment from the case.

As to a further discussion of the manner of usage and operation of the present invention, the same should be apparent from the above description. Accordingly, no further discussion relating to the manner of usage and operation will be provided.

With respect to the above description then, it is to be realized that the optimum dimensional relationships for the parts of the invention, to include variations in size, materials, shape, form, function and manner of operation, assembly and use, are deemed

readily apparent and obvious to one skilled in the art, and all equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by the present invention.

5

Therefore, the foregoing is considered as illustrative only of the principles of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation shown and described, and accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the invention.

10

**CLAIMS**

I claim:

1. A vehicle mountable gun and equipment case for storage of equipment on a vehicle, said gun and equipment case comprising:

an upper cover having a top portion with a perimeter and an upper perimeter wall, said upper perimeter wall extending away from said perimeter of said top portion;

a lower cover having a bottom portion with a perimeter and a lower perimeter wall, said lower perimeter wall being extending outwardly from said perimeter of said bottom portion such that said lower perimeter wall and said bottom portion define a space within said lower cover, said lower cover being hingedly attached to said upper cover;

a plurality of clasping means being for releasably securing said upper cover to said lower cover;

an equipment retaining pad having at least one of a shaped cut out, said pad being insertable into said space of said lower cover, said shaped cut out being for conformably receiving a piece of equipment; and

a plurality of vehicle attachment means adapted for attaching said lower cover to the vehicle.

2. The gun and equipment case as set forth in claim 1 wherein said upper perimeter wall and said top portion define a space within said upper cover.

3. The gun and equipment case as set forth in claim 2 further comprises a pad disposed within said space of said upper cover.

4. The gun and equipment case as set forth in claim 3 wherein said pad is constructed of an elastomeric material.

5. The gun and equipment case as set forth in claim 1 further comprises an upper lip being coupled to a lower edge of the upper perimeter wall of said upper cover, a lower lip being coupled to an upper edge of said lower perimeter wall of said lower cover.

6. The gun and equipment case as set forward in claim 5 wherein each of said clasping means has a first portion and a second portion, said first portion being coupled to said upper lip, said second portion being coupled to said lower lip.

7. The gun and equipment case as set forth in claim 5 wherein said lower lip has a channel therein, said channel being adapted for receiving an elastomeric seal to prevent entrance of fluid or debris when said upper cover is secured to said lower cover.

8. The gun and equipment case as set forth in claim 1 wherein said shaped cutout has at least one semicircular cutout outwardly extending from a periphery of said shaped cutout.



9. A vehicle mountable gun and equipment case for an all terrain vehicle having an equipment carrying area, said gun and equipment case comprising:

an upper cover having a top portion with a perimeter, an upper perimeter wall and an upper lip, said upper perimeter wall being extending away from said perimeter of said top portion such that said upper perimeter wall and said top portion define a space within said upper cover, said lip extending around a bottom edge of said upper perimeter wall, said lip having a front portion and a rear portion, said front portion having a plurality of top portions of a clasping means deposited thereon, a pad being constructed of an elastomeric material, said pad being disposed in said space of said upper cover portion;

a lower cover having a bottom portion with a perimeter, a lower perimeter wall and a lower lip, said bottom portion having a plurality of bores therethrough, said lower perimeter wall being extending outwardly from said perimeter of said bottom portion such that said lower perimeter wall and said bottom portion define a space within said lower cover, said lower lip being extending around an upper edge of said lower perimeter wall, said lower lip having a front portion and a rear portion, said rear portion of said lower lip being hingedly coupled to said rear portion of said upper lip, said front portion of said lower lip having a plurality of bottom portions of a clasping means such that said bottom portions of said clasping means being releasably couplable to said upper portions of said clasping means, said lower lip having a channel therein, said channel being adapted for receiving an elastomeric seal such that

when said upper lip being clasped to said lower lip the elastomeric seal prevents the introduction of fluids or debris into said space of said upper cover and said space of said lower cover;

an equipment retaining pad having a plurality of shaped cut outs and a plurality of fastener bores, said pad being insertable into said space of said lower cover, said fastener bores being positionable in alignment with said bores of said bottom portion, said shaped cut outs being for conformably receiving a piece of equipment, each of said shaped cutouts having a plurality of semicircular cutouts extending outwardly from a periphery of said shaped cutouts, said semicircular cutouts being for facilitating the removal of said equipment from said shaped cut outs; and

a plurality of vehicle attachment means adapted for attaching said lower cover to the equipment carrying area of the all terrain vehicle, each of vehicle attachment means having a bolt portion, a nut portion, a frusto conical portion and clamp portion, said bolt portion being coupled to said frusto conical portion, said bolt portion being for extending through said bores of said bottom portion, said nut portion being insertable through said fastener bores of said equipment retaining pad for securing said bolt portion to said bottom portion, said frusto conical portion being for supporting said bottom portion, said clamp portion being coupled to said frusto conical portion opposite said bolt portion, said clamp portion adapted for engaging the equipment carrying area of the all terrain vehicle.

**ABSTRACT OF THE DISCLOSURE**

5           A vehicle mountable gun and equipment case for the safe  
transportation of guns and equipment. The vehicle mountable gun  
and equipment case includes an upper cover having a top portion  
and an upper perimeter wall. The upper perimeter wall extends  
away from a perimeter of the top portion. Next provided is a lower  
10   cover having a bottom portion and a lower perimeter wall. The  
lower perimeter wall extends outwardly from a perimeter of the  
bottom portion such that the lower perimeter wall and the bottom  
portion define a space within the lower cover. The lower cover is  
hingedly attached to the upper cover. A plurality of claspings means  
15   are for releasably securing the upper cover to the lower cover.  
Also included is an equipment retaining pad having at least one of a  
shaped cut out. The pad is insertable into the space of sad lower  
cover. The shaped cut out is for conformably receiving a piece of  
equipment. A plurality of vehicle attachment means are adapted for  
20   attaching the lower cover to a vehicle..




FIG. 1









FIG. 2





**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**VEHICLE MOUNTABLE GUN AND EQUIPMENT CASE**

the specification of which is attached hereto.

I further state that I do not know and do not believe that the above-named invention has ever been known or used in the United States before my invention thereof, or patented or described in any printed publication in any country before my invention thereof, or in public use or on sale in the United States more than one year prior to this application; that the invention has not been patented or made the subject of any inventor's certificate in any country foreign to the United States on any application filed by me or my legal representatives or assigns more than one (1) year prior to this application; and that no application for patent or inventor's certificate on the invention has been filed by me or my representatives or assigns in any country foreign to the United States, except as identified below.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment if applicable.

I acknowledge the duty to disclose information to the Patent and Trademark Office all information known to me to be material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

<u>NONE</u>	<u>                    </u>	<u>                    </u>	<u>          </u>	<u>          </u>
(Number)	(Country)	(Day/Month/ Year Filed)	(Yes)	(No)

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States Provisional application(s) listed below:

<u>NONE</u>	<u>                    </u>
(Application No.)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365 (c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112. I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>NONE</u>	<u>                    </u>	<u>                    </u>
(Application No.)	(Filing Date)	(Status - patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys to prosecute this application and transact all business in the U.S. Patent and Trademark Office connected therewith: Ivar M. Kaardal, Registration Number 29,812.



Send Correspondence to: Kaardal & Associates, PC

Attn: Ivar M. Kaardal

3500 South First Ave. Circle - Suite 250

Sioux Falls, South Dakota 57105-5807

Telephone (605) 336-9446, FAX (605) 336-1931

e-mail: patent@kaardal.com

Full Name of Inventor: **LOUIS J. ROBERT**

Louis Robert  
Inventor's Signature

Date: July 30/1999

Residence:

<sup>LJR</sup>  
Liskeard July 30/99  
**NEW LISKEARD, ONTARIO, CANADA**

Citizenship:

**CANADA**

Post Office Address:

**RURAL ROUTE #2  
NEW LISKEARD, ONTARIO P0J 1P0  
CANADA**

662780-5036/250